

A background image of a water splash, with a vertical column of water falling from the top and splashing into a pool of water at the bottom, creating ripples and bubbles. The image is in grayscale and has a soft, ethereal quality.

Enclosure Specifications

Section 5

Enclosures Dimensions


Enclosure - 201 300Hx200Wx150D

Material: Mild Steel Sheet
Material Thickness: 1.5mm
Coating: Epoxy Polyester
Powder Coated
Colour: RAL 7035
IP Rating: IP65

Features:

- External Door has one lock
- Complete with galvanised mounting plate (1.8mm)

Replacement Code: FEB-30321




Enclosure - 202 300Hx300Wx150D

Material: Mild Steel Sheet
Material Thickness: 1.5mm
Coating: Epoxy Polyester
Powder Coated
Colour: RAL 7035
IP Rating: IP65

Features:

- External Door has one lock
- Complete with galvanised mounting plate (1.8mm)

Replacement Code: FEB-30331



Enclosures Dimensions


Enclosure - 102 400Hx300Wx150D

Material:	Mild Steel Sheet
Material Thickness:	1.5mm
Coating:	Epoxy Polyester Powder Coated
Colour:	RAL 7035
IP Rating:	IP65

Features:

- External Door has one lock
- Complete with galvanised mounting plate (1.8mm)

Replacement Code: FEB-40431




Enclosure - 103 400Hx300Wx200D

Material:	Mild Steel Sheet
Material Thickness:	1.5mm
Coating:	Epoxy Polyester Powder Coated
Colour:	RAL 7035
IP Rating:	IP65

Features:

- External Door has two locks
- Inner Door is attached with spring loaded hinges for quick release
- Complete with galvanised mounting plate (1.8mm)

Replacement Code: FEB-40432



Enclosures Dimensions




Enclosure - 104 400Hx400Wx200D

Material: Mild Steel Sheet
Material Thickness: 1.5mm
Coating: Epoxy Polyester
Powder Coated
Colour: RAL 7035
IP Rating: IP65

Features:

- External Door has two locks
- Inner Door is attached with spring loaded hinges for quick release
- Complete with galvanised mounting plate (1.8mm)

Replacement Code: FEB-40442



Optional Enclosures Include:

- 304 Grade Stainless Steel
- 316 Grade Stainless Steel
- IP67 Poly Carbonate (Lockable)

Pricing and specifications available on request